## **Forklift Seat Belts**

Seat Belts for Forklift - This guideline purpose is to be able to describe the Regulation necessities for the application of driver restraints or seatbelts on forklifts. It is the employers' responsibility to be able to make certain that each and every machinery, piece of equipment and tool inside the workplace is chosen and used rightly and worked in accordance with the manufacturer's directions.

In regards to their fabrication, use, design, maintenance and inspection Rough Terrain forklifts must meet the guidelines of ANSI Standard ASME B56.6-1992.

Side boom tractors and mobile equipment together with a Rollover Protective Structure, or ROPS for short, must include seat belts that satisfy the requirements of the Society of Automotive Engineers, or SAE, Standard J386 JUN93, Operator Restraint System for Off-Road Work Machines. If whichever mobile machinery includes seat belts required by law, the driver and subsequent passengers have to make sure they utilize the belts every time the vehicle is in motion or engaged in operation because this can cause the equipment to become unsteady and thus, not safe.

When a seat belt or other operator restraint is required on a forklift.

While working a forklift, the seat belt requirements will depend on a number of factors. Contributing factors to this determination might include whether the forklift is equipped with a Rollover Protective Structure, the kind of forklift itself and the year the forklift was actually made. The manufacturer's directions and the requirements of the applicable standard are referenced in the Regulation.

With regards to powered industrial forklifts, ANSI Standard ASME B56.1-1993 refers to an operator restraint device, system, or enclosure. A driver restraint device, system, or enclosure is designed in order to assist the driver in lessening the danger of entrapment of the torso and/or head between the truck and the ground in the event of a tip over. The system or restraint device might include a seat belt, even though a seat belt is not essentially a part of such equipment or system.